



Save \$30 per case on your first 10 cases.



Burdette Dental Lab's exclusive full-contour zirconia restoration, Advanced Z16[™] crowns, make no compromises in appearance or strength.

- · Pre-shaded for consistency throughout
- 1,200 MPa flexural strength
- Matched to all 16 VITA® Classical Shades
- High-translucency

Don't Miss Out on All Your Savings!

Enclosed in this Rx booklet are four promotional Rx forms. The other six promotional Rx forms are located online and can be printed for your convenience.


To receive these additional forms, please visit **burdettedental.com/adz16-rx.** For added expediency, we have made it easy for you to print shipping labels or schedule a local pick-up while you are visiting our site.



	Phone Number:			
Email: Patient Name: Deliver case before app Date: by	oointment.	Patient Age Deliver case based (Patient will be appoin	on lab capacit	y.
Instructions \$79 Ad *Price p	vanced Z16 [™] er unit up to three ur	nits.		
eed Supplies? Boxes Bio Bags FedEx Shipping Labels RX Forms Other:	Enclosed with Co Impression Study Model Bite Photos Other:	☐ Triple Tray	Shade Instru	actions
ignature:				
cense #:	Date:		_ Expires: _	12-31-23

Preparation Guidelines

Ideally, the preparation includes a circumferential shoulder or chamfer with a horizontal angle of at least 5°. The vertical preparation angle should be at least 4°. The inside angle of the shoulder preparation must be given a rounded contour. All occlusal and incisal edges should also be rounded. The marginal edge of the preparation needs to be continuous and clearly visible. A bevel should be avoided. For posterior and anterior teeth, a supragingival margin poses no problems. Due to the tooth-colored framework, very esthetic results can be achieved.



Do.

- Change nothing from your usual crown and bridge/PFM technique. Prep, imp, bite, cement.
- As with any ceramic restoration, proper reduction of tooth/prep helps us build a restoration of unequaled esthetics.

Don't:

- Leave sharp tips on corners of the prep.
- Do a shoulder prep. This is not necessary for Crystal or Diamond crowns. If you do prep a shoulder, please do not prep a trough on the shoulder (the scanner does not read these well).
- Have patient force crown to place with cotton roll or anything else.
- Internally relieve all ceramic crown to seat. This will cause micro-fractures and in return will cause breakage in the future. If you feel relief needs to be done for additional seating, relief must be done to prep.


Terms & Policies



	Phone Number:			
Email: Patient Name: Deliver case before app Date: by	oointment.	Patient Age Deliver case based (Patient will be appoin	on lab capacit	y.
Instructions \$79 Ad *Price p	vanced Z16 [™] er unit up to three ur	nits.		
eed Supplies? Boxes Bio Bags FedEx Shipping Labels RX Forms Other:	Enclosed with Co Impression Study Model Bite Photos Other:	☐ Triple Tray	Shade Instru	actions
ignature:				
cense #:	Date:		_ Expires: _	12-31-23

Preparation Guidelines

Ideally, the preparation includes a circumferential shoulder or chamfer with a horizontal angle of at least 5°. The vertical preparation angle should be at least 4°. The inside angle of the shoulder preparation must be given a rounded contour. All occlusal and incisal edges should also be rounded. The marginal edge of the preparation needs to be continuous and clearly visible. A bevel should be avoided. For posterior and anterior teeth, a supragingival margin poses no problems. Due to the tooth-colored framework, very esthetic results can be achieved.



Do.

- Change nothing from your usual crown and bridge/PFM technique. Prep, imp, bite, cement.
- As with any ceramic restoration, proper reduction of tooth/prep helps us build a restoration of unequaled esthetics.

Don't:

- Leave sharp tips on corners of the prep.
- Do a shoulder prep. This is not necessary for Crystal or Diamond crowns. If you do prep a shoulder, please do not prep a trough on the shoulder (the scanner does not read these well).
- Have patient force crown to place with cotton roll or anything else.
- Internally relieve all ceramic crown to seat. This will cause micro-fractures and in return will cause breakage in the future. If you feel relief needs to be done for additional seating, relief must be done to prep.


Terms & Policies



	Phone Number:			
Email: Patient Name: Deliver case before app Date: by	oointment.	Patient Age Deliver case based (Patient will be appoin	on lab capacit	y.
Instructions \$79 Ad *Price p	vanced Z16 [™] er unit up to three ur	nits.		
eed Supplies? Boxes Bio Bags FedEx Shipping Labels RX Forms Other:	Enclosed with Co Impression Study Model Bite Photos Other:	☐ Triple Tray	Shade Instru	actions
ignature:				
cense #:	Date:		_ Expires: _	12-31-23

Preparation Guidelines

Ideally, the preparation includes a circumferential shoulder or chamfer with a horizontal angle of at least 5°. The vertical preparation angle should be at least 4°. The inside angle of the shoulder preparation must be given a rounded contour. All occlusal and incisal edges should also be rounded. The marginal edge of the preparation needs to be continuous and clearly visible. A bevel should be avoided. For posterior and anterior teeth, a supragingival margin poses no problems. Due to the tooth-colored framework, very esthetic results can be achieved.



Do.

- Change nothing from your usual crown and bridge/PFM technique. Prep, imp, bite, cement.
- As with any ceramic restoration, proper reduction of tooth/prep helps us build a restoration of unequaled esthetics.

Don't:

- Leave sharp tips on corners of the prep.
- Do a shoulder prep. This is not necessary for Crystal or Diamond crowns. If you do prep a shoulder, please do not prep a trough on the shoulder (the scanner does not read these well).
- Have patient force crown to place with cotton roll or anything else.
- Internally relieve all ceramic crown to seat. This will cause micro-fractures and in return will cause breakage in the future. If you feel relief needs to be done for additional seating, relief must be done to prep.


Terms & Policies



	Phone Number:			
Email: Patient Name: Deliver case before app Date: by	oointment.	Patient Age Deliver case based (Patient will be appoin	on lab capacit	y.
Instructions \$79 Ad *Price p	vanced Z16 [™] er unit up to three ur	nits.		
eed Supplies? Boxes Bio Bags FedEx Shipping Labels RX Forms Other:	Enclosed with Co Impression Study Model Bite Photos Other:	☐ Triple Tray	Shade Instru	actions
ignature:				
cense #:	Date:		_ Expires: _	12-31-23

Preparation Guidelines

Ideally, the preparation includes a circumferential shoulder or chamfer with a horizontal angle of at least 5°. The vertical preparation angle should be at least 4°. The inside angle of the shoulder preparation must be given a rounded contour. All occlusal and incisal edges should also be rounded. The marginal edge of the preparation needs to be continuous and clearly visible. A bevel should be avoided. For posterior and anterior teeth, a supragingival margin poses no problems. Due to the tooth-colored framework, very esthetic results can be achieved.



Do.

- Change nothing from your usual crown and bridge/PFM technique. Prep, imp, bite, cement.
- As with any ceramic restoration, proper reduction of tooth/prep helps us build a restoration of unequaled esthetics.

Don't:

- Leave sharp tips on corners of the prep.
- Do a shoulder prep. This is not necessary for Crystal or Diamond crowns. If you do prep a shoulder, please do not prep a trough on the shoulder (the scanner does not read these well).
- Have patient force crown to place with cotton roll or anything else.
- Internally relieve all ceramic crown to seat. This will cause micro-fractures and in return will cause breakage in the future. If you feel relief needs to be done for additional seating, relief must be done to prep.

Terms & Policies



As a full-service lab ready to meet any of your restorative needs, Burdette Dental Lab is dedicated to providing our doctors with cuttingedge technology. With expert CDTs managing every department, we consistently deliver quality, service, and value.

www.burdettedental.com



Wait - There's Even More Savings Online!

We have placed six additional promotional Rx forms online. Simply visit **burdettedental.com/adz16-rx** to receive the offers.

For even more convenience, we have made it easy for you to print shipping labels or schedule a local pick-up while you are visiting our site.





Was \$109 Now \$79

\$79 per unit on **Advanced Z16**[™] Save **\$30** per unit on your first 10 cases



Rx forms included inside Expires December 31, 2023